



अखिल भारतीय तकनीकी शिक्षा परिषद्
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
(भारत सरकार का एक संवैधानिक संस्थान) (A STATUTORY BODY OF THE GOVERNMENT OF INDIA)

PROF. A.M. AGRAWAL
ADVISER (EST)

F.No.: 740-B9-C48(E)/TC/95
Date: 13.11.2000

To
The Principal Secretary
Higher & Technical Education
& Employment Department
Govt. of Maharashtra, Mumbai
Mumbai - 400 032, Maharashtra.

Subj.: Extension of AICTE approval to GOVT. POLYTECHNIC, NATIONAL HIGHWAY NO. 6, JALGAON-425002 and approval for additional Diploma course (s) /variations in intake capacity in Engineering & Technology for the academic year(s) 2000-2001.

Sir,
I am directed to state that on consideration of the reports of the Expert Committee and in consultation with the concerned agencies in this regard, the All India Council for Technical Education (AICTE), is pleased to accord extension of approval to GOVT. POLYTECHNIC, NATIONAL HIGHWAY NO. 6, JALGAON-425002 only for the course(s) and intake capacity as given below with the specific condition that admission shall be made through the Central Counseling by the Govt. of Maharashtra only:

Course(s)	LEVEL	Previous Intake	Present Intake	Duration
CIVIL ENGINEERING	DIP	60	60	3
MECHANICAL ENGINEERING	DIP	60	60	3
ELECTRICAL ENGINEERING	DIP	60	60	3
COMPUTER ENGINEERING	DIP	60	60	3
COMPUTER APPLICATIONS (50% FOR GIRLS)	DIP	60	60	3
INFORMATION TECHNOLOGY	DIP	—	40	3
TOTAL		300	340	

This approval has been accorded subject to fulfillment of norms & standards of the Council for the course(s) and intake approved above.

Further, the observations and specific conditions (if any) of the expert committee are annexed to this letter. The institution shall fulfill all the conditions without any delay. Nonfulfillment will lead to withdrawal of approval without the need of any more opportunity, as the institution is well aware of the

प्रमुख अधिकारी
वि. विभाग

Xmas
2000

Inward No. 473 H/T Date
Govt. Polytechnic, Jalgaon.

21/11/2000

इमिल मार्ग: 100 मस्जिद, इंदिरा गान्धी स्पोर्ट्स कॉम्प्लेक्स - 110 002
Indira Gandhi Sports Complex, 110 002, New Delhi-110 002
दूरभाष/फैक्स: 3379310/11/12/13 15 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 5

The admission will be made in accordance with Regulations notified by the AICTE vide GSR 476(E) dated 20.05.1994 based on the Hon'ble Supreme Court Judgment dated 04.02.1993 with regard to WP(C) No. 607 of 1992 in the case of Unni Krishnan JP and other etc. V/s. State Government of Andhra Pradesh and others etc. and later judgements. No Management/Institute/Trust or Society shall announce admissions directly under any circumstances. Any action contrary to this provision taken by the institute will make it liable to be derecognised.

Further, in the event of infringement/contravention or non-compliance of the norms & standards prescribed by the AICTE during the last approved academic year, the Council shall take further action to withdraw approval to this case for admission during subsequent academic year and the liability arising out of such withdrawal of approval will be solely that of Management/Trust/Society and/or Institutions.

The Council reserves the right to visit the institution any time it may deem fit to verify the compliance of Norms & Standards of AICTE.

You are requested to kindly monitor the progress made by this institution for fulfillment of Norms & Standards of the Council & keep the concerned Regional Committee and AICTE informed.

Yours faithfully,

Arund John Agrawal
(A.M. AGRAWAL) 13/11/2000

COPY TO :

1. Regional Officer, Western Regional Office, All India Council for Technical Education, Industrial Assurance Building, 2nd Floor Nariman Road Mumbai 400020.

He is requested to closely monitor the compliance of norms & standards stipulated by the Council and keep the concerned Regional Committee and the AICTE informed of the same.

The infrastructural and other facilities shall be reviewed during the last approved academic year and recommendations of the concerned Regional Committee be made available to the AICTE.

2. The Director of Technical Education, Govt. of Maharashtra, 3, Mahapalika Marg, Mumbai 400 020.
3. DIRECTOR/PRINCIPAL, GOVT. POLYTECHNIC, NATIONAL HIGHWAY NO. 6, JALGAON-425002

With a request to fulfill the deficiencies as annexed to this letter and submit the compliance by December, 2000 to the Regional Office:


He is informed that this is an opportunity given to the institute.

This may also be taken as advance notice that failure to rectify the deficiencies will entail withdrawal of approval, as persistence of these deficiencies are detrimental to the quality of teaching learning process.

4. The Secretary, SBTET, MAHARASHTRA

He is requested to complete the process of affiliation for facilitating admissions in the course(s) and intake approved by the Council.

5. Guard File.


13/11/2000
(Narendra Dev)
Deputy Director (EST)

पश्चिमी क्षेत्रीय कार्यालय
WESTERN REGIONAL OFFICE

अखिल भारतीय तकनीकी शिक्षा परिषद

ALL INDIA COUNCIL FOR TECHNICAL EDUCATION MUMBAI - 400 020.

(A statutory Body of the Government of India) (आयुक्त सरकार का एक विधिक संस्थान)

इन्डस्ट्रियल एश्योरन्स बिल्डिंग, दूसरी मंजिल,
वीर नरिमन रोड, चर्चगेट, मुंबई - 400 020.
दूरभाष: (022) 2285 4412, 2282 9093
फैक्स: (022) 2285 4449



31 AUG 2004
Industrial Assurance Building
2nd Floor, Veer Nariman Road,
Churchgate, Mumbai - 400 020.
Tel.: (022) 2285 4412, 2282 1093
Fax: (022) 2285 1551

Dr. Y.T. Krishna Gowda
Western Regional Officer

F.NO.740-89-048/E/RC/95/TME-1907

Updated

Date: 13th August 2004

To

The Principal Secretary
Higher & Technical Education & Employment Department
Govt. of Maharashtra, Mantralaya, Mumbai-400 032.

Subject: Extension of AICTE approval to, GOVERNMENT POLYTECHNIC, NATIONAL HIGHWAY NO. 6, JALGAON - 425 002 for conduct of Diploma course(s) in Engineering & Technology.

Sir,

I am directed to state that on recommendations of the state level committee and considering the reports of Expert Committee, the All India Council For Technical Education (AICTE), is pleased to accord extension of approval/introduction of new course(s)/variation in intake, as applicable to, GOVERNMENT POLYTECHNIC NATIONAL HIGHWAY NO. 6, JALGAON - 425 002 for conduct of Diploma in Engineering & Technology with annual intake for each course as given below.

COURSE (S)	PREVIOUS INTAKE	REVISED INTAKE	PERIOD OF APPROVAL
CIVIL ENGINEERING	60	60	2004-07
INFORMATION TECHNOLOGY	60	60	2004-07
COMPUTER ENGINEERING(CO-EDU)	30	60	2004-07
MECHANICAL ENGINEERING	60	60	2004-07
COMPUTER ENGG(WOMEN WING)	30	30	2004-07
ELECTRICAL ENGINEERING	60	60	2004-07
TOTAL:-	300	330	

This approval has been accorded subject to fulfillment of the conditions & observations of the Expert Committee (enclosed) before admitting the students for the academic year 2004-05. Non-fulfillments of the conditions will lead to reduction in intake capacity/withdrawal of approval.

प्रथम वर्ष प्रवेश समिति

हस्ताक्षर
प्राधिकृत
डॉ. य. टी. कृष्ण गोवा
अखिल भारतीय तकनीकी शिक्षा परिषद

31/8/04

प्राधिकृत

Head Office: Indira Gandhi Sport Complex I. P. Estate, New Delhi - 110 002.

Tel.: 011-2339 2506, 63-65-68, 71, 73-75 • Fax: 011-2339 2554 • Website: www.aicteernet.in



The approval accorded above is subject to fulfillment of the following conditions:

1. Principal & faculty qualified as per AICTE Norms should be appointed before making admissions with revised AICTE scales (5th pay) & other allowances like state Government D.A., H.R.A. etc. – The High Court order of Aurangabad Bench w.p.no.161/2003.dt 25/9/03.
2. Admissions shall be made through the Central Counseling by Govt. of Maharashtra only.
3. All the required Laboratories/Workshops/Machineries/Equipment as per approved syllabus of the Maharashtra Board must be operational before making admissions.
4. If this letter of approval is received by you after the closing date of State / National Level Central Counseling for Admissions in the concerned State /Union Territory, this Letter of approval will not be valid for making any admission during the above specified academic year, and shall be treated as withdrawn.
5. No excess admission shall be made by the Institution during any academic year.
6. The approval is valid only for the academic year as mentioned in the table. If no further extension of AICTE approval is received beyond the academic year, this Approval Letter will not be valid for making any admission for the subsequent years.
7. The institutions has to apply National Board of Accreditation (NBA) of the programme if already two batches of the students have passed out since the year of establishment or apply for performance appraisal system as the case may be. For further details visit web site nba-aicte.ernet.in.
8. Name of the Institution, Name of the Society/Trust, is not allowed to change without prior approval of AICTE. The name and title of the institution should be such that " the Emblems and Names (Prevention of improper use) Act (1950)" of Government of India is not violated in any manner.
9. Any other condition(s) as may be specified by AICTE from time to time.

Consequent to the Supreme Court Judgment, the Model Constitution of Governing Body notify by AICTE in its approval Regulations 1994, stands overruled. It has been decided that while AICTE will not insist on any nomination in the Governing Body of Private Unaided Institutions, the Affiliating University/State Government shall impose minimum conditions of affiliation, such as prescription of qualifications of Governing Body Members, in order to ensure academic excellence. it shall be desirable for the private unaided institutions to induct at least 50% of the members of the Governing Body drawn from renowned academia, academic administrator, Subject Experts and professionals from industry, in order to seek their innovative ideas for continuous improvement in the delivery of teaching learning process, matching best practices else wise and achieve excellence.

In exercise of power conferred under 10(p) of the AICTE Act, AICTE, may inspect the institution any time, it may deem fit it verify the process/compliance or for any other purpose.

In the event of infringement/contravention or non-compliance of the above Conditions and/or the provision of AICTE Act & Regulations/Guidelines/norms & Standards as prescribed by AICTE, further actions leading to 'Reduced Intake' or "No Admission or Withdrawal of Approval, may be taken by AICTE and the liability arising out of such actions will be solely that of the Management of the Institution.

Yours faithfully,

(Y.T.Krishna Gowda)



CONTINUATION SHEET

COPY TO:

1. Adviser (UG), AICTE, I.G.Sports Complex, I.P.Estate New Delhi-110 002, for information.
2. The Director of Technical Education, Maharashtra State, MUMBAI - 400 001.
 - ☐ He is requested to closely monitor the compliance of norms & standards stipulated by the Council and keep the concerned Regional office of AICTE informed of the same.
 - ☐ The infrastructure and other facilities shall be reviewed during the academic year(s) and recommendations of the State level Committee be made available.
3. The Director, SBTE, Maharashtra.
He is requested to complete the process of affiliation for facilitating admission in the course(s) and intake by Council.
4. Director/ Principal.
5. Guard File

(Y.T. KRISHNE GOWDA)
WRO, MUMBAI

SPECIFIC CONDITIONS:

NAME OF THE INSTITUTE 740-82-048/E/RC/95/TME-1907	GOVERNMENT POLYTECHNIC NATIONAL HIGHWAY NO. 6,, JALGAON - 425 002
<ol style="list-style-type: none">1. Principal and Faculty should be approved by DTE, Maharashtra2. Land, Building & other infrastructure should not be shared with other programme/Institute.3. Internet facility should be made available on at least 30 Computers.4. Copy of Compliance report should be submitted to AICTE, Western Regional office, Mumbai as well as to Director of Technical Education. (Maharashtra).	

(Y.T. KRISHNE GOWDA)
WRO, MUMBAI

37-16

पश्चिमी क्षेत्रीय कार्यालय
WESTERN REGIONAL OFFICE
अखिल भारतीय तकनीकी शिक्षा परिषद

ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
 (A Statutory Body of the Government of India) (भारत सरकार का एक विधिक संस्थान)

इन्डस्ट्रियल एश्योरन्स बिल्डींग, दुसरी मंजिल,
 वीर नरमन रोड, चर्चगेट, मुंबई - ४०० ०२०
 दूरभाष : (०२२) २२८५ ५४१२, २२८२ १०९३
 फैक्स : (०२२) २२८५ १५५१



Industrial Assurance Building,
 2nd Floor, Veer Nariman Road,
 Churchgate, Mumbai - 400 020.
 Tel. : (022) 2285 5412, 2282 1093
 Fax : (022) 2285 1551

B.K. BHADRI
REGIONAL OFFICER

F.NO. 740-89-048/E/RC/95 (40/TMDE-1907)

Date: - 26.06.2008

TO,
THE PRINCIPAL,
GOVERNMENT POLYTECHNIC
NATIONAL HIGHWAY NO. 6,
JALGAON-425 002

Sub: - Extension of AICTE approval / approval for introduction of additional courses / variation in intake, as applicable, in respect of existing approved diploma level technical institutions in the State of Maharashtra for the academic year 2008-09.

Sir / Madam,

Under the present policy of decentralized system of considering extension of approval and based on the recommendations of State Level Committee for the State of Maharashtra, the All India Council for Technical Education hereby agrees extension of approval / approval for introduction of additional courses / variation in intake, as applicable, in respect of your institution for the academic year 2008-09 to conduct the following courses and the intake mentioned below:-

Sr. No.	Diploma in	Intake for 2007-08	Intake for 2008-09	10 % additional Seats over & above the sanctioned intake as per Tuition fee waiver scheme (2008-09)	Period of Approval
1	CIVIL ENGINEERING	60	60	06	2008-2012
2	INFORMATION TECHNOLOGY	60	60	06	
3	COMPUTER ENGINEERING (CO-EDU)	60	60	06	
4	COMPUTER ENGINEERING (WOM-WING)	30	30	03	
5	MECHANICAL ENGINEERING	60	120	06	
6	ELECTRICAL ENGINEERING	60	60	06	
7	ELECTRONICS & TELE COMMUNICATION ENGINEERING	0	60	--	

The above approval is subject to fulfillment of AICTE norms and standards and instructions issued from time to time. The institution is required to fulfill the condition / specific condition enclosed in Annexure

Yours faithfully,

(B.K. BHADRI)

Encl: - Annexure - I.

21 JUL 2008

Head Office : 7th Floor, Chandra Lok Building, Jangpeth, New Delhi - 110001

Tel : 011-23724151 - 57 • Website : www.aicte.ernet.in

COPY TO:-

1. The Addl. Chief secretary, Higher & Technical Education Department, Government of Maharashtra, Mantralaya Annexe, Mumbai-400 032
2. The Director, Technical Education, Maharashtra State, 3, Mahapalika Marg, Dhobi Talav, Mumbai - 400 001.
3. The Secretary, Maharashtra State Board Of Technical Education, 49 Kherwadi, Ali Yavar Jung Marg, Govt. Polytechnic Campus, Bandra (East), Mumbai-400 051
4. Concern Joint Director, Technical Education Regional Office.
5. Guard File

SPECIFIC CONDITIONS:

NAME OF THE INSTITUTE 740-89-048/E/RC/95(40/TMDE-1907)	GOVERNMENT POLYTECHNIC NATIONAL HIGHWAY NO. 6, JALGAON-425 002
<ol style="list-style-type: none">1. Principal and Faculty should be approved by DTE, Maharashtra.2. Land, Building & other infrastructure should not be shared with other programme/ Institute.3. Internet facility should be made available.4. Copy of Compliance report should be submitted to AICTE, Western Regional Office, Mumbai as well as to Director of Technical Education. (Maharashtra).5. The institution has to submit the following particulars :-<ol style="list-style-type: none">a) Name, full address, Phone/ Fax Nos. of the Trust along with the name of the Chairman / Secretary.b) Name, full address, Phone / Fax Nos. of the Institution along with name of Principal and his Bio-Data with his photograph.	


(B.K. BHADRI)

ANNEXURE - I

The approval accorded above is subject to fulfillment of the following conditions:-


1. Principal & faculty qualified as per AICTE Norms should be appointed before making admissions with revised AICTE scales (5th Pay) & other allowances like State Government D.A., H.R.A. etc. - the High Court Order of Aurangabad Bench W.P. No.161/ 2003 dated 25.09.2003.
2. Admissions shall be made through the Central Counseling by Govt. of Maharashtra only.
3. All the required Laboratories / Workshops / Machineries / Equipment as per approved syllabus of the Maharashtra Board of Technical Education must be operational before making admissions.
4. No excess admission shall be made by the Institution during any academic year.
5. The approval is valid only for the academic year as mentioned in the table. If no further extension of AICTE approval is received beyond the academic year, this Approval Letter will not be valid for making any admission for the subsequent years.
6. Name of the Institutions, Name of the Society/ Trust, is not allowed to change without prior approval of AICTE. The name and title of the institutions should be such that "the Emblems and Names (Prevention of improper use) Act (1950)" of Government of India is not violated in any manner.
7. Any other condition(s) as may be specified by AICTE from time to time.

Consequent to the Supreme Court Judgment, the Model Constitution of Governing Body notify by AICTE in its approval Regulations 1994, stands overruled. It has been decided that while AICTE will not insist on any nomination in the Governing Body of Private Unaided Institutions, the Affiliating University/ State Government shall impose minimum conditions of affiliation, such as prescription of qualifications of Governing Body Members, in order to ensure academic excellence. It shall be desirable for the private unaided institutions to induct at least 50% of the Governing Body drawn from renowned academic, academic administrator, subject Experts and professionals from industry, in order to seek their innovative ideas for continuous improvement in the delivery of teaching learning process, matching best practices else wise and achieve excellence.

In exercise of power conferred under 10(p) of the AICTE Act, AICTE, may inspect the institution any time, if it may deem fit verify the process / compliance or for any other purpose.

In the event of infringement / contravention or non-compliance of the above conditions and / or the provision of AICTE, Act & Regulations / Guidelines / norms & standards as prescribed by AICTE, further actions leading to 'Reduced Intake' 'No Admission of Approval, may be taken by AICTE and the liability arising out of such actions will be solely that of the Management of the Institutions."

Yours faithfully,


(B.K. BHADRI)

पश्चिमी क्षेत्रीय कार्यालय

WESTERN REGIONAL OFFICE

अखिल भारतीय तकनीकी शिक्षा परिषद

ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

(A Statutory Body of the Government of India) (भारत सरकार का एक विधिक संस्थान)

इंडस्ट्रियल एश्योरन्स बिल्डिंग, दूसरी मंजिल,
वीर नरिमन रोड, चर्चगेट, मुंबई - ४०० ०२०,
दूरभाष : (०२२) २२८५ ५४१२, २२८२ १०९३
फैक्स : **DR. SANJAY SHARMA**
DIRECTOR



Industrial Assurance Building,
2nd Floor, Veer Nariman Road,
Churchgate, Mumbai 400 020
Tel : (022) 2285 5412, 2282 1093
Fax : (022) 2285 1551

F.NO. 740-89-048/E/RC/95 (22/TMDE-2801) /2ND SHIFT

Date: - 29.06.2009

TO,

THE PRINCIPAL,
GOVERNMENT POLYTECHNIC
GOVERNMENT POLYTECHNIC
NATIONAL HIGHWAY NO. 6,
JALGAON- 425 002

BY SPEED POST

Sub: -Extension of AICTE approval / approval for introduction of additional courses / variation in intake, as applicable, in respect of existing approved **SECOND SHIFT** diploma level technical institutions in the State of Maharashtra for the academic year **2009-2010**.

Sir / Madam,

Under the present policy of decentralized system of considering extension of approval and based on the recommendations of State Level Committee for the State of Maharashtra, the All India Council for Technical Education hereby agrees extension of approval / approval for introduction of additional courses / variation in intake, as applicable, in respect of your institution for the academic year 2009-2010 to conduct the following courses and the intake mentioned below:-

Sr. No.	Diploma in	Intake for 2008-09	Intake for 2009-10	Period of Approval
1	CIVIL ENGINEERING	60	60	2009-2010
2	INFORMATION TECHNOLOGY	60	60	
3	COMPUTER ENGINEERING (CO-EDU)	60	60	
4	MECHANICAL ENGINEERING	60	60	
5	ELECTRONICS & TELE COMMUNICATION ENGINEERING	60	60	

The above approval is subject to fulfillment of AICTE norms and standards and instructions issued from time to time. The institution is required to fulfill the condition / specific condition enclosed in Annexure - I.

Yours faithfully,

(DR. SANJAY SHARMA)

Encl: - Annexure - I.


Inward No. 2542
Date 17 JUL 2009
Govt Polytechnic, Jalgaon

COPY TO:-

1. The Addl. Chief secretary, Higher & Technical Education Department, Government of Maharashtra, Mantralaya Annexe, Mumbai-400 032
2. The Director, Technical Education, Maharashtra State, 3, Mahapalika Marg, Dhobi Talav, Mumbai - 400 001.
3. The Secretary, Maharashtra State Board Of Technical Education, 49 Kherwadi, Ali Yavar Jung Marg, Govt. Polytechnic Campus, Bandra (East), Mumbai-400 051
4. Concern Joint Director, Technical Education Regional Office.
5. Guard File

SPECIFIC CONDITIONS:

NAME OF THE INSTITUTE SECOND SHIFT 740-89-048/E/RC/95 (22/TMDE-2801)	GOVERNMENT POLYTECHNIC GOVERNMENT POLYTECHNIC NATIONAL HIGHWAY NO. 6, JALGAON-425 002
<ol style="list-style-type: none">1. Principal and Faculty should be approved by DTE, Maharashtra.2. Land, Building & other infrastructure should not be shared with other programme/ Institute.3. Internet facility should be made available.4. Copy of Compliance report should be submitted to AICTE, Western Regional Office, Mumbai as well as to Director of Technical Education. (Maharashtra).5. The institution has to submit the following particulars :-<ol style="list-style-type: none">a) Name, full address, Phone/ Fax Nos. of the Trust along with the name of the Chairman / Secretary.b) Name, full address, Phone / Fax Nos. of the Institution along with name of Principal and his Bio-Data with his photograph.	

**(DR. SANJAY SHARMA)**

पश्चिमी क्षेत्रीय कार्यालय

WESTERN REGIONAL OFFICE

अखिल भारतीय तकनीकी शिक्षा परिषद

ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

(A Statutory Body of the Government of India) (भारत सरकार का एक विधिक संस्थान)

इन्डस्ट्रियल एडवॉयन्स बिल्डिंग, दूसरी मंजिल,
वीर नर्मन रोड, चर्चगेट, मुंबई - ४०० ०२०.
दूरभाष : (०२२) २२८५ ५४१२, २२८२ १०९३
फैक्स : (०२२) २२८५ ४५५१



Industrial Assurance Building,
2nd Floor, Veer Narmann Road,
Churchgate, Mumbai - 400 020
Tel: (022) 2285 5412, 2282 1093
Fax: (022) 2285 1551

DR. SANJAY SHARMA
DIRECTOR

F.NO. 740-89-048/E/RC/95 (47/TMDE-1907)

Date: 29.06.2009

TO,
THE PRINCIPAL,
GOVERNMENT POLYTECHNIC
GOVERNMENT POLYTECHNIC
NATIONAL HIGHWAY NO. 6,
JALGAON -425 002

BY SPEED POST

Sub: - AICTE approval for 10 % ADDITIONAL SEATS AS PER TUITION FEE
WAIVER SCHEME for academic year 2009-2010.

Sir / Madam,

Under the present policy of decentralized system of considering extension of approval and based on the recommendations of State Level Committee for the State of Maharashtra, the All India Council for Technical Education hereby agrees AICTE approval for 10 % additional Seats as per TUITION FEE WAIVER SCHEME in respect of your institution for the academic year 2009-2010 to conduct the following courses and the intake mentioned below:-

Sr. No.	Diploma in	Intake for	10 % additional Seats as per 'Tuition fee waiver scheme' 2009-2010	Period of Approval
1	CIVIL ENGINEERING	60	6	2009-2010
2	INFORMATION TECHNOLOGY	60	6	
3	COMPUTER ENGINEERING (CO-EDU)	30	3	
4	COMPUTER ENGINEERING (WOM-WING)	60	6	
5	MECHANICAL ENGINEERING	120	12	
6	ELECTRICAL ENGINEERING	60	6	
7	ELECTRONICS & TELE COMMUNICATION ENGINEERING	60	6	

The above approval is subject to fulfillment of AICTE norms and standards and instructions issued from time to time.

THE DECISION OF GRANT OF APPROVAL IS SUBJECT
TO FINAL DECISION OF SLP NO.12368/09 IN PLI 80/09
ND SLP 26162-26164/08 IN WP 6188/08

Yours faithfully,

(DR. SANJAY SHARMA)

Inward No. 2531
Date 17 JUL 2009
Govt. Polytechnic, Jalgaon

COPY TO:-

1. The Addl. Chief secretary, Higher & Technical Education Department, Government of Maharashtra, Mantralaya Annexe, Mumbai-400 032
2. The Director, Technical Education, Maharashtra State, 3, Mahapalika Marg, Dhobi Talav, Mumbai - 400 001.
3. The Secretary, Maharashtra State Board Of Technical Education, 49 Kherwadi, Ali Yavar Jung Marg, Govt. Polytechnic Campus, Bandra (East), Mumbai-400 051
4. Concern Joint Director, Technical Education Regional Office.
5. Guard File

SPECIFIC CONDITIONS:

NAME OF THE INSTITUTE 740-89-048/E/RC/95 (47/TMDE-1907)	GOVERNMENT POLYTECHNIC GOVERNMENT POLYTECHNIC NATIONAL HIGHWAY NO. 6, JALGAON-425 002
<ol style="list-style-type: none">1. Principal and Faculty should be approved by DTE, Maharashtra.2. Land, Building & other infrastructure should not be shared with other programme/ Institute.3. Internet facility should be made available.4. Copy of Compliance report should be submitted to AICTE, Western Regional Office, Mumbai as well as to Director of Technical Education. (Maharashtra).5. The institution has to submit the following particulars :-<ol style="list-style-type: none">a) Name, full address, Phone/ Fax Nos. of the Trust along with the name of the Chairman / Secretary.b) Name, full address, Phone / Fax Nos. of the Institution along with name of Principal and his Bio-Data with his photograph.	

**(DR. SANJAY SHARMA)**

पश्चिमी क्षेत्रीय कार्यालय
WESTERN REGIONAL OFFICE
अखिल भारतीय तकनीकी शिक्षा परिषद

ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
(A Statutory Body of the Government of India) (भारत सरकार का एक विधिक संस्थान)

इन्डस्ट्रियल एश्योरन्स बिल्डिंग, दूसरी मंजिल,
वीर नरिमन रोड, चर्चगेट, मुंबई - ४०० ०२०
दुभाष : (०२२) २२८५ ५४१२, २२८२ १०९३
फैक्स : (०२२) २२८५ १५५१



Industrial Assurance Building,
2nd Floor, Veer Nariman Road,
Churchgate, Mumbai - 400 020
Tel. : (022) 2285 5412, 2282 1093
Fax : (022) 2285 1551

DR. P.K. SAHOO
REGIONAL OFFICER

F.NO.740-89-048/E/RC/95(22/TMDE-2801)2ND SHIFT Date: - 19.06.2010

TO,
THE PRINCIPAL,
GOVERNMENT POLYTECHNIC
GOVERNMENT POLYTECHNIC
NATIONAL HIGHWAY NO. 6,
JALGAON -425 002

BY SPEED POST

Sub: -Extension of AICTE approval / approval for introduction of additional courses / variation in intake, as applicable, in respect of existing approved 2ND Shift diploma level technical institutions in the State of Maharashtra for the academic year 2010-11.

Sir / Madam,

Under the present policy of decentralized system of considering extension of approval and based on the recommendations of State Level Committee for the State of Maharashtra, the All India Council for Technical Education hereby agrees extension of approval / approval for introduction of additional courses / variation in intake, as applicable, in respect of your 2ND Shift institution for the academic year 2010-11 to conduct the following courses and the intake mentioned below:-

Sr. No.	Diploma in	Intake for 2009-10	Intake for 2010-11	Period of Approval
1	CIVIL ENGINEERING	60	60	2010-13
2	INFORMATION TECHNOLOGY	60	60	
3	COMPUTER ENGINEERING (CO-EDU)	60	60	
4	MECHANICAL ENGINEERING	60	60	
5	ELECTRONICS & TELE COMMUNICATION ENGINEERING	60	60	
TOTAL		300	300	

The above approval is subject to fulfillment of AICTE norms and standards and instructions issued from time to time. The institution is required to fulfill the condition / specific condition enclosed in Annexure - I.

Yours faithfully,

(DR. P.K. SAHOO)


Encl: - Annexure - I.

COPY TO:-

1. The Principal Secretary, Higher & Technical Education, Department, Government of Maharashtra, Mantralaya Annexe, Mumbai-400 032
2. The Director, Technical Education, Maharashtra State, 3, Mahapalika Marg, Dhobi Talav, Mumbai - 400 001.
3. The Secretary, Maharashtra State Board Of Technical Education, 49 Kherwadi, Ali Yavar Jung Marg, Govt. Polytechnic Campus, Bandra (East), Mumbai-400 051
4. Concern Joint Director, Technical Education Regional Office.
5. Guard File

SPECIFIC CONDITIONS:

NAME OF THE INSTITUTE No.F.740-89-048/E/RC/95/ 2801 2 nd SHIFT	(22/TMDE- GOVERNMENT POLYTECHNIC GOVERNMENT POLYTECHNIC NATIONAL HIGHWAY NO. 6, JALGAON-425 002
<ol style="list-style-type: none">1. Dean/ HOD and Faculty should be approved by DTE, Maharashtra.2. Land, Building & other infrastructure should not be shared with other programme/ Institute.3. Internet facility should be made available.4. Copy of Compliance report should be submitted to AICTE, Western Regional Office, Mumbai as well as to Director of Technical Education. (Maharashtra).5. The institution has to submit the following particulars :-<ol style="list-style-type: none">a) Name, full address, Phone/ Fax Nos. of the Trust along with the name of the Chairman / Secretary.b) Name, full address, Phone / Fax Nos. of the Institution along with name of Dean/ HOD and his Bio-Data with his photograph.	


(DR. P.K. SAHOO)